



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2010 - June 30, 2011

Filing Confirmation Number: 0004823497

Filing Deadline: July 15, 2011

FRN: 0004265831

Filing Date: 08/01/2011 02:30 PM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

#### Company Information

Company Name: Kyocera Communications, Inc.

Brand Names: Kyocera  
Sanyo

PO Box:

Street Address: 8611 Balboa Avenue

City: San Diego

State: CA

Zip Code: 92123

Contact Name: C. K. Li

Contact Phone: (185) 888-2394

Contact Fax:

Contact Email: ck.li@kyocera.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

#### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.kyocera-wireless.com/>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Describe consumer outreach efforts in the past 12 months: HAC and Accessibility information are available to consumers at Kyocera Website.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 10

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 25

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	25	100%					25

## Handset 1: Kyocera E2000

### Handset Maker

Kyocera

### Handset Model Name

E2000

### FCC ID

OVFK60-E2-5G5

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 10/07 to 06/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 07/02/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 07/02/07

Version of the ANSI C63.19 standard used during the certification process: 2006

### Remarks

## Handset 2: Kyocera S6000

### Handset Maker

Kyocera

### Handset Model Name

S6000

### FCC ID

OVFKWC-S6000-150

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 06/07 to 06/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 03/13/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 03/17/07

Version of the ANSI C63.19 standard used during the certification process: 2006

### Remarks

---

## Handset 3: Kyocera SCP-6780

### Handset Maker

Kyocera

### Handset Model Name

SCP-6780

### FCC ID

V65SCP-6780

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 08/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 07/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 4: Kyocera SCP-8600****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

SCP-8600

V65SCP-8600

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 08/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 07/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 5: Kyocera SCP-3820****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

SCP-3820

V65SCP-3820

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 09/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 08/23/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/23/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 6: Kyocera E4100****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

E4100

V65E4100

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 12/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 11/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 7: Kyocera M9300****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

M9300

V65M9300

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 03/11 to 06/11

#### Ratings

M-Rating: M4  
M-Rating Certification Date: 02/21/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 02/21/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 8: Kyocera E3100 Rio

#### Handset Maker

Kyocera

#### Handset Model Name

E3100 Rio

#### FCC ID

OVF-K5402

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 07/10 to 06/11

#### Ratings

M-Rating: M4  
M-Rating Certification Date: 06/23/10  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 06/23/10  
Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

## Handset 9: Kyocera K55-01

### Handset Maker

Kyocera

### Handset Model Name

K55-01

### FCC ID

OVF-K5501

### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 12/10 to 06/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 11/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 10: Kyocera K55-02, K55-03

### Handset Maker

Kyocera

### Handset Model Name

K55-02, K55-03

### FCC ID

OVF-K5502

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 02/11 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 01/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 11: Kyocera S1350****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

S1350

OVFS13503CB

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 06/11 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 05/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 12: Kyocera S1310 Domino****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

S1310 Domino

OVF-K33BIC06

**Air Interfaces/Frequency Bands**

800 MHz CDMA



1700 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 10/09 to 06/11

#### Ratings

M-Rating: M4

M-Rating Certification Date: 08/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 13: Kyocera M1400 Laylo

#### Handset Maker

Kyocera

#### Handset Model Name

M1400 Laylo

#### FCC ID

OVFK50-03

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 08/09 to 06/11

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

## Handset 14: Kyocera S2300

### Handset Maker

Kyocera

### Handset Model Name

S2300

### FCC ID

OVF-K5302

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 04/10 to 06/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 02/10/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/10/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 15: Kyocera S2300/K53-01

### Handset Maker

Kyocera

### Handset Model Name

S2300/K53-01

### FCC ID

OVF-K5301

### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 02/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 12/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 16: Kyocera S1310/K33BIC-04****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

S1310/K33BIC-04

OVF-K33BIC04

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/09 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 12/24/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/24/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 17: Kyocera M6000****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

M6000

V65M6000

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 05/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 02/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 18: Sanyo SCP-PRO700****Handset Maker**

Sanyo

**Handset Model Name****FCC ID**

SCP-PRO700

AEZSCP-PRO700

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 04/08 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 02/22/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 02/22/08

Version of the ANSI C63.19 standard used during the certification process: 2006

**Remarks****Handset 19: Sanyo SCP-2700****Handset Maker**

Sanyo

**Handset Model Name****FCC ID**

SCP-2700

V65SCP-27H

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 04/09 to 06/11

#### Ratings

M-Rating: M4  
M-Rating Certification Date: 02/26/09  
Version of the ANSI C63.19 standard used during the certification process: 2006  
T-Rating: T4  
T-Rating Certification Date: 02/26/09  
Version of the ANSI C63.19 standard used during the certification process: 2006

#### Remarks

---

### Handset 20: Sanyo SCP-3810

#### Handset Maker

Sanyo

#### Handset Model Name

SCP-3810

#### FCC ID

V65SCP-3810

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 10/09 to 06/11

#### Ratings

M-Rating: M4  
M-Rating Certification Date: 08/07/09  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 08/07/09  
Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

## Handset 21: Sanyo SCP6760

### Handset Maker

Sanyo

### Handset Model Name

SCP6760

### FCC ID

V65SCP-6760

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 12/09 to 06/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 10/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 22: Kyocera M2000

### Handset Maker

Kyocera

### Handset Model Name

M2000

### FCC ID

OVF-K4802

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 08/09 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 06/08/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/08/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 23: Kyocera M2000/K48-01****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

M2000/K48-01

OVF-K4801

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 02/09 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 12/23/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 12/23/08

Version of the ANSI C63.19 standard used during the certification process: 2006

**Remarks****Handset 24: Kyocera S2410****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

S2410

OVF-K33BI04

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 12/08 to 06/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 10/03/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 10/03/08

Version of the ANSI C63.19 standard used during the certification process: 2006

### Remarks

---

## Handset 25: Kyocera S2400

### Handset Maker

Kyocera

### Handset Model Name

S2400

### FCC ID

OVF-K33BI01

### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 06/08 to 06/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 04/24/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 04/24/08

Version of the ANSI C63.19 standard used during the certification process: 2006

### Remarks

---

## Certification

### This Report has been certified by:

C. K. Li Director of Regulatory

08/01/2011 02:30 PM